

Notice of Allowability	Application No.	Applicant(s)
	10/660,032	COCHRAN ET AL.
	Examiner	Art Unit
	Sam Rizk	2133

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 11/02/2006.
2. The allowed claim(s) is/are 1-8, 10-14.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

ALBERT DECADY
SUPPLYING PATENT EXAMINER
TECHNOLOGY CENTER 2100

DETAILED ACTION

- Response to the applicant's amendment dated 11/02/2006
- Claim 9 cancelled
- Amended claims 1-8 and 10-14 have been submitted for examination
- Amended claims 1-8 and 10-14 have been allowed

Response to Arguments

4. Applicant's arguments and amended claim 8 and canceled claim 9 filed 11/02/2006, with respect claims 1 and 8 to have been fully considered and are persuasive. Claims 1 and 8 rejections under section 35 USC § 102(b) of the office action filed on 11/02/2006 has been withdrawn.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

5. The prior Art of record and in particular Eisele et al. US patent no. 6,034905 and Constantineseu US publication no. 2004/0252644 teaches:

- A method for implementing a redundancy enhanced differential signal interface comprising the steps of:
- providing a differential signaling input/output (I/O) pair connected to a differential receiver interface;
- detecting an error from said differential receiver interface;
- alternately testing of true and complement sides of said differential signaling I/O pair;

However, the prior art do not teach, suggest, or otherwise render obvious the additional limitations as in claims 1 or 8 of the instant application:

- responsive to said detected error, reducing an interface operating speed of said differential receiver interface;
- responsive to detecting a failure of a true side or a complement side, setting the detected failed true side or complement side to a reference voltage and maintaining said reduced interface operating speed of said differential receiver interface.

6. Claims 2-7 depend from claim 1.
7. Claims 10-14 depend from claim 8

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sam Rizk whose telephone number is (571) 272-8191. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decay can be reached on (571) 272-3819. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronics Business Center (EBC) at 866-217-9197 (toll-free)

Sam Rizk, MSEE, ABD

Examiner

ART UNIT 2133


ALBERT DECADY
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

DRS
11/11/07